

A Review of the Pest Management Situation in Mango Agroecosystems

J.E. Peña,¹ A.I. Mohyuddin² and M. Wysoki³

Integrated pest management programs for mango must be based on sampling and on economic thresholds, and must take into account the effects of cultural practices, horticultural sprays and disease control on pest and natural enemy interactions. An analysis of the mass of information available on the different mango pests, *viz.*, fruit flies (*Bactrocera* sp., *Ceratitidis* sp., *Anastrepha* sp.), mango seed weevil (*Sternochetus mangiferae*), thrips (*Frankliniella* spp.), gall midges (*Procontarinia* sp.), scales, mites and mealybugs is given, as well as different examples for future entomological research.

KEY WORDS: Mango pests: scales, fruit flies, Thysanoptera, Aleurodidae, Curculionidae, Lepidoptera, midges, mites; IPM; Biological Control; parasitoids.

Received July 8, 1997; received in final form Feb. 4, 1998; web site posting March 6, 1998.

¹University of Florida, Tropical Research and Education Center, Homestead, FL 33031, USA [Fax: +1-305-2467003; e-mail: jepe@gnv.ifas.ufl.edu].

²Integrated Pest Management, Rawalpindi, Pakistan.

³Dept. of Entomology, Agricultural Research Organization, The Volcani Center, Bet Dagan 50250, Israel.