

On the Species of *Rhyacionia* Hübner [1825] (Lepidoptera: Tortricidae) in Turkey

Selma Seven^{*,1} Mustafa Özdemir,² Yasemin Özdemir² and Vildan Bozkurt²

Three forest pest species of the genus *Rhyacionia* Hübner [1825] (Lepidoptera: Tortricidae) that are known to damage *Pinus* species are found in Turkey: *R. buoliana* ([Denis & Schiffermüller], 1775), *R. pinicolana*, (Doubleday, 1849) and *R. pinivorana* (Lienig & Zeller, 1846). *R. pinivorana* is recorded for the first time from Turkey. *R. pinicolana*, first recorded in 1999, is now reported for the second time from Turkey. Photographs are presented of adult males and their genitalia of all taxa and the species distribution is shown on a map.

KEY WORDS: Conifers; *Pinus*; forest pest; *Rhyacionia*; Tortricidae; Lepidoptera; genitalia; distribution; Turkey; new record.

Received June 11, 2004; accepted Dec. 12, 2004; <http://www.phytoparasitica.org> posting March 4, 2005.

¹Gazi University, Faculty of Science and Literature, Biology Department, Teknikokullar, Ankara, Turkey.

*Corresponding author [e-mail: s_seven@lycos.com].

²Plant Protection Central Research Institute, 06172 Yenimahalle, Ankara, Turkey.