

The Hymenopteran Parasitoids of Some Elm Bark Beetles in Serbia

Aleksandar Stojanovic¹ and Cedomir Markovic^{*,2}

The parasitoids of the elm bark beetles *Scolytus ensifer*, *S. kirschi*, *S. multistriatus*, *S. pygmaeus* and *Pteleobius vittatus* were studied in ten localities in Serbia. Eleven species of parasitoids of *S. ensifer*, 10 of *S. kirschi*, 13 of *S. multistriatus*, 12 of *S. pygmaeus*, and four of *P. vittatus* were found. The most abundant were *Ecphyllus silesiacus*, *Dendrosoter protuberans*, *Cheirpachus quadrum* and *Rhaphitelus maculatus*. *Acrocormus semifasciatus*, *Cerocephala eccoptogastris*, *Mesopolobus typographi* and *Doryctes pomarius* were found in some samples.

KEY WORDS: Hymenoptera; parasitoids; *Ulmus* spp.; elm; *Ophiostoma ulmi*; Dutch elm disease; Serbia.

Received Feb. 4, 2006; accepted Nov. 9, 2006; <http://www.phytoparasitica.org> posting May 4, 2007

¹Natural History Museum, Belgrade, Serbia.

²Faculty of Forestry, Belgrade University, 11000 Belgrade, Serbia. *Corresponding author [e-mail: markovicc@ptt.yu].